




Led₄₀

TUNTO

LED₄₀ FIX

1600 mm	34 W	
1300 mm	28 W	
1000 mm	22 W	
700 mm	16 W	
400 mm	9 W	



Drivers / External

DALI , PUSH DIM	LCM40DA
CASAMBI DIM	LCM40BLE

The Led40 is a simple yet impressive interior light, optimized for efficient lighting needs of various spaces.

The FIX model can be used for lighting large interiors, either as a stand-alone light or as a pair.

The FIX model gives a forward or side-facing light, and can be easily and subtly attached to a wall or ceiling.

Collection





Led₄₀

TUNTO

Collection

LED₄₀ PENDANT





Direct 

Drivers / Power Box

DALI, PUSH DIM	LCM40DA
CASAMBI DIM	LCM40BLE

The PENDANT model is particularly expressive when suspended above a dining table or office desk.

A pair of Led40s can also be attached to each other for a straight and detailed appearance. The pendant model is equipped with thin steel wires and a transparent power cable.



Led40 FIX models assembly

Attach the steel holder to the wall or ceiling. Connect the power source cables to the light's connectors. Place and level the light on the steel holder and tighten screws.

TECHNICAL SPECIFICATIONS

Available colors and materials

Oak

Ash


Walnut

Black stained Oak


White stained Oak

Surface Finish Ash: White Oil wax / Oak, Walnut: Oil wax
Black and White, Lacquer

Led₄₀ 1600 mm pendant lx



Led₄₀ 1600 mm pendant lx / measured 1.0 m on the table



Drivers / Power Box

700 mA	DALI, PUSH DIM	LCM40DA
	CASAMBI DIM	LCM40BLE

Rated Power Voltage Output	9-34 W 220-240V 50/60 Hz, 9-42V 700 mA	Kelvin Lumen	2700 K, 3000 K, 4000 K 400 mm / 400 lm, 700 mm / 750 lm 1000 mm / 1100 lm, 1300 mm / 1630 lm 1600 mm / 1800 lm
Cord Length	Pendant, standard 2 m, transparent. FIX, standard 3 m, Max 20 m.	CRI	93
Power Box	White ceiling cup 220 x 100 x 35 mm RAL 9003 fine efekt	Package Size Package Weight	130 x 110 x 460-1660 mm 1,3-2,9 kg

INDOOR USE ONLY

NON-USER REPLACEABLE LIGHT SOURCE

IP20



Led₄₀